

24.(New) The polyurethane film of Claim 21 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 150 grams as measured by a sliding block friction procedure.

25.(New) The polyurethane film of Claim 24 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 100 grams as measured by a sliding block friction procedure.

26.(New) The polyurethane film of Claim 25 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 90 grams as measured by a sliding block friction procedure.

27.(New) The polyurethane film of Claim 26 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 75 grams as measured by a sliding block friction procedure.

28.(New) The polyurethane film of Claim 27 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 65 grams as measured by a sliding block friction procedure.

29.(New) The polyurethane film of Claim 22 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 150 grams as measured by a sliding block friction procedure.

30.(New) The polyurethane film of Claim 29 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 100 grams as measured by a sliding block friction procedure.

31.(New) The polyurethane film of Claim 30 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 90 grams as measured by a sliding block friction procedure.

32.(New) The polyurethane film of Claim 32 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 75 grams as measured by a sliding block friction procedure.

33.(New) The polyurethane film of Claim 32 wherein said film exhibits a cohesive property with either itself or a different film of the same type as measured by a sliding block pull tension of below about 65 grams as measured by a sliding block friction procedure.

34.(New) An anti-tack polyurethane film exhibiting a thickness of from 10 to about 500 mils and having both an interior portion and exterior surface therein, said film comprising a silver-based inorganic antimicrobial compound in discrete areas of said film wherein at least some of said antimicrobial compound is present at said exterior surface of said film and at least some of said antimicrobial is present within said interior of said film; wherein said film exhibits a tackiness less than that of the same type of polyurethane film without said silver-based inorganic antimicrobial compound present at the surface thereof; and wherein said polyurethane film does not require the presence of any other anti-tack surface coatings or additives in order to exhibit such anti-tack properties.